T Number	Ui+c	Search Text	DB	Time stamp
L Number	Hits 3	("6401118").PN.	USPAT;	2003/11/18 16:38
		(0101120 , 01101	US-PGPUB;	
į			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0003/03/03 14 00
-	1	6401118.URPN.	USPAT USPAT	2003/02/27 14:00 2003/02/27 15:00
-	16	("5802518" "5826265" "5838965" "5873076" "5875446" "5913208"	USPAI	2003/02/27 15:00
		"5987457" "6035297" "6078914"		
		"6078917" "6144958" "6249784"		
		"6311178" "6336117" "6338059"		
		"6401118").PN.		
-	1	6401118.URPN.	USPAT USPAT	2003/02/27 15:01 2003/02/27 15:01
-	16	("5802518" "5826265" "5838965" "5873076" "5875446" "5913208"	OSFAI	2005/02/27 15.01
		"5987457"		
		"6078917" "6144958" "6249784"		
		"6311178" "6336117" "6338059"		
		"6401118").PN.	, xop x m	2002/02/27 15 02
j -	26	l	USPAT	2003/02/27 15:02
	•	"5864846" "5873107" "5913208" "5913215" "5920859" "5924090"		
]	"5933822" "5983216" "5987446"		
		"5991751" "5995961" "6006217"		
		"6009422" "6009459" "6018733"		
		"6092182" "6041326" "6078914"		
		"6078917" "6094649" "6098065" "6102969" "6112202").PN.		
_	5	"6102969" "6112202").PN. ("5257185" "5446891" "5778363"	USPAT	2003/11/18 19:02
		"5826031" "5835905").PN.		
-	134	1	USPAT;	2003/11/18 11:23
i i			US-PGPUB;	
	[EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(contact adj information) adj for adj2	USPAT;	2003/11/18 11:24
		URL\$1!	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0	(contact adj information) adj3 for adj2	IBM_TDB USPAT;	2003/11/18 11:24
_	"	URL\$1!	US-PGPUB;	2003/11/10 11:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/25/50 55 55
-	56	(contact adj information) adj5 URL\$1!	USPAT; US-PGPUB;	2003/11/18 14:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	114		USPAT;	2003/11/18 17:43
		(compan\$3 or organization or entity or	US-PGPUB;	
		entities) adj (relat\$3 or specific or relevant)	EPO; JPO; DERWENT;	
		Terevanc;	IBM_TDB	
-	56	((rule\$1 or (policies or policy)) with	USPAT;	2003/11/18 17:43
		(compan\$3 or organization or entity or	US-PGPUB;	
		entities) adj (relat\$3 or specific or	EPO; JPO;	
		relevant)) and @ad<20000523	DERWENT;	
	150	search\$3 with retriev\$3 with scor\$3	IBM_TDB USPAT;	2003/11/18 17:58
-	150	Bearchy with reciteda with scords	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		<u></u>	IBM_TDB	0000/11/10 15 55
-	0	(((rule\$1 or (policies or policy)) with	USPAT;	2003/11/19 12:58
		(compan\$3 or organization or entity or entities) adj (relat\$3 or specific or	US-PGPUB; EPO; JPO;	
		relevant)) and @ad<20000523) and (search\$3	DERWENT;	
		with retriev\$3 with scor\$3)	IBM_TDB	
,			·	·

				1	
Search\$3 with retriev\$3 with scor\$3 and (704/103,223,224,217,217).ccls. or DERNENT; 10M TDB (1977).ccls. or (707/10).ccls.) DERNENT; 10M TDB (1978).cc (19569732*).PN. DERNENT; 10M TDB (1978).cc (19569732*).PN. DERNENT; 10M TDB (1978).cc (1976).cc (-	9203			2003/11/18 18:00
15			(707/10).ccis.		
15					
15					
(1709/(203,223,224,217,217)).ccle. or US-PGPUB; C707/10).ccle. O (1709/(203,223,224,217,217)).ccle. or US-PGPUB; DFO, JPO; DERMENT; IBM, TDB USPAT; USPA	_	15	(search\$3 with retriev\$3 with scor\$3) and	_	2003/11/18 18:00
Compand of the property of t					
THOMAS-JASON-B.in. DERMENT; IBM TDB USPAT USPA				1	
1 THOMMAS-JASON-B.in. USPAT US			(100, 00, 00, 00, 00, 00, 00, 00, 00, 00,	DERWENT;	
2 ("5659732").PN. 2 ("669732").PN. (((rule\$1 or (policies or policy)) with (compan\$3 or organization or entity or entities) near3 (relata\$3 or apecific or relevant) and wad<20000523) and (searchs) same retrievys same socsy\$1 (((rule\$1 or (policies or policy)) with (compan\$3 or organization or entity or relevant) and wad<20000523) and (searchs) ((maps\$3 or organization or entity or content or organization or entity or relevant) and wad<20000523) and (searchs) accord\$3 with analyz\$3 near3 statistics with (compan\$3 or organization or entity or relevant) and wad<20000523) and (searchs) accord\$3 with analyz\$3 near3 statistics with (page or content or document) below the property of the prop				IBM_TDB	İ
US-FOUND; EDO, JPG, DERMENT; EDD, JPG, JPG, DERMENT; EDD, JPG, DERMENT	_	1	THOMAS-JASON-B.in.	USPAT	
Compans or organization or entity or entities) nears (relates) and (searchs) Sept. JPO; DERMENT; IBM TDB same retrieves's same scores) Sept. JPO; DERMENT; IBM TDB same retrieves's same scores) Sept. JPO; DERMENT; IBM TDB same retrieves's same scores) Sept. JPO; DERMENT; IBM TDB same retrieves's same scores) Sept. JPO; DERMENT; IBM TDB same retrieves's same scores) Sept. JPO; DERMENT; IBM TDB sco	-	2	("5659732").PN.	USPAT;	2003/11/19 10:29
Compan\$3 or organization or entity or entities) near3 (relats) or specific or relevant) and @adc2000533) and (search\$1 same retriev\$3 same scor\$3) ((rule\$1 or (policies or policy)) with (compan\$3 or organization or entity or entities) near3 (relat\$3 or specific or relevant) and @adc20000533) and (search\$1 same retriev\$3 same scor\$3) ((rule\$1 or (policies or policy)) with (compan\$3 or organization or entity or entities) near3 (relat\$3 or specific or relevant) and @adc20000523) and (search\$1 same acor\$3) and scor\$3) and scor\$3 and scor\$3 same acor\$3				,	
0					
Compan\$3 or organization or entity or entities near3 (relats) or specific or relevant) and @ad<20000523) and (search\$3 same retriev\$3 same scor\$3) (frule\$1 or (policies or policy)) with (compan\$3 or organization or entity or entities) near3 (relats) or specific or relevant) and @ad<20000523) and (search\$3 and scor\$3) uspar; lbm Tdb uspar;					
(compan3 or organization or entity or relevant) and @ad<2000523 and (search\$3 same retrieved) same scor\$3) (((rule\$i or (policiee or policy)) with (compan\$3 or organization or entity or relevant)) and @ad<20000523) and (search\$3 same scor\$3) (((rule\$i or (policiee or policy)) with (compan\$3 or organization or entity or relevant)) and @ad<20000523) and (search\$3 same scor\$3) ((search\$3 same scor\$3) (uspan; uspan; usp		_			2002/11/10 12 50
entities) near3 (relat3) or specific or relevant) and @adc2000523 and (search3) same retriev\$3 same scor\$3] 15 ((rule\$1 or (policies or policy)) with (compan\$3 or organization or entity or entities) near3 (relat\$3 or specific or relevant) and @adc20000523 and (search\$3 and scor\$3) scor43 with analyz\$3 near3 statistics with keyword\$1!	-	0			2003/11/19 12:59
relevant)) and @ad<20000523) and (searchS3 same retrievgS same scortS3) (((rule\$1 or (policies or policy)) with (compan\$3 or organization or entity or entities) near3 (relat\$3 or specific or relevant)) and @ad<20000523) and (searchS3 and scor\$3) and scor\$3 with analyz\$3 near3 statistics with keyword\$1! - 1 scor\$3 with analyz\$3 near3 statistics with keyword\$1! - 2 analyz\$3 near3 statistics with (page or content or document) and @ad<20000523 - 3 analyz\$3 near3 statistics with (page or content or document)) and @ad<20000523 - 4 analyz\$3 near3 statistics with (page or content or document)) and @ad<20000523 - 5 analyz\$3 adj3 page\$1! same (statistics or content or document)) and @ad<20000523 - 1 4 statistics with (key adj word\$1!) and @ad<20000523 - 2 ("6480837").PN. - 2 ("5933822").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 3 ("5931907").PN. - 4 ("5931907").PN. - 5 ("5931907").PN.			(compans) or organization or entity of	, · · · · · · · · · · · · · · · · · · ·	
Same retriew\$3 same scor\$3 TBM_TDB ((frule\$1 or [policies or policy)) with ((compan\$3 or organization or entity or entities) near3 (relat\$3 or specific or relevant)) and @ad<20000523) and (search\$3 and scor\$3] Scor\$3 with analyz\$3 near3 statistics with keyword\$1 Scor\$3 with analyz\$3 near3 statistics with (page or content or document) Scor\$4 with analyz\$3 near3 statistics with (page or content or document) Scor\$5 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 near3 statistics with (page or content or document) Scor\$7 with analyz\$3 with					
15					
	_	15			2003/11/19 14:08
### ##################################	_				
relevant)) and sad<20000523) and (search\$3 IBM_TDB and scor\$3) scor43 with analyz\$3 near3 statistics with keyword\$1! - 1 scor\$3 with analyz\$3 near3 statistics with keyword\$1! - 2 analyz\$3 near3 statistics with (page or content or document) - 3 analyz\$3 near3 statistics with (page or content or document) - 4 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document)) and Gad<20000523 - 5 analyz\$3 near3 statistics with (page or content or document) - 5 analyz\$3 near3 statistics with (page or content or document) - 6 analyz\$3 near3 statistics with (page or content or document) - 7 analyz\$3 near3 statistics with (page or content or document) - 8 analyz\$3 near3 statistics with (page or content or document) - 9 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics with (page or content or document) - 10 analyz\$3 near3 statistics w					
and scors3) scor43 with analyz\$3 near3 statistics with keyword\$1! 1 scor\$3 with analyz\$3 near3 statistics with keyword\$1! 2003/11/19 14:09 EPO, JPO, DERMENT; IBM_TDB USPAT; US-PGPUB; EPO, JPO, DERWENT;					
Content or document					
Reyword\$11	-	0		USPAT;	2003/11/19 14:09
Scor\$3 with analyz\$3 near3 statistics with RPO; DERWENT; IBM TDB REYO; DERWENT; IBM TDB				US-PGPUB;	
Scor\$3 with analyz\$3 near3 statistics with USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO;			-	EPO; JPO;	
- 1 scor\$3 with analyz\$3 near3 statistics with keyword\$1! USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; U					
keyword\$1!				_	
EPO; JPO; DERMENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERMENT; U	-	1			2003/11/19 14:10
- 52 analyz\$3 near3 statistics with (page or content or document) - 17 (analyz\$3 near3 statistics with (page or content or document)) and @ad<20000523 - 18 analyz\$3 adj3 page\$1! same (statistics or accumulat\$3 or sum\$4) and @ad<20000523 - 14 statistics with (key adj word\$1!) and @ad<20000523 - 2 ("6480837").PN. - 2 ("5933822").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 3 DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USP			keyword\$1!		
S2 analyz\$3 near3 statistics with (page or content or document) S2 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US					
- 52 analyz\$3 near3 statistics with (page or content or document) - 17 (analyz\$3 near3 statistics with (page or content or document)) and @ad<20000523 - 18 analyz\$3 adj3 page\$1! same (statistics or accumulat\$3 or sum\$4) and @ad<20000523 - 19 statistics with (key adj word\$1!) and USPAT; - 14 statistics with (key adj word\$1!) and USPAT; - 2 ("6480837").PN. - 2 ("5933822").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 2 ("5931907").PN. - 3 ("5931907").PN. - 4 ("5931907").PN. - 5 ("5931907").PN. - 5 ("5931907").PN. - 5 ("5931907").PN. - 6 ("5931907").PN. - 7 ("5931907").PN. - 8 ("5931907").PN. - 9 ("5931907").PN. - 10 ("5931907").PN. - 11 ("5931907").PN. - 12 ("5931907").PN. - 13 ("5931907").PN. - 14 ("5931907").PN. - 15 ("5931907").PN. - 16 ("5931907").PN. - 17 ("5931907").PN. - 18 ("5931907").PN. - 19 ("5931907").PN. - 10 ("5931907").PN. - 10 ("5931907").PN. - 10 ("5931907").PN. - 10 ("5931907").PN. - 11 ("5931907").PN. - 12 ("5931907").PN.					
Content or document US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;		E2	analyzes nears statistics with (name or	_	2003/11/19 14:10
PPC; JPC; DERWENT; IBM TDB USPAT; US-PGPUB; EPC; DERWENT; IBM TDB USPAT; US-PGPUB; EPC; DERWENT; US-PGPUB; EPC; DERWENT; IBM TDB USPAT; US-PGPUB; EPC; D	_	52		•	2003/11/13 14:10
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IMM_TDB USPAT			Content of document,		
- 17 (analyz\$3 near3 statistics with (page or content or document)) and @ad<20000523 USPAT; US-PGPUB; EPG; JPG; DERWENT; IBM_TDB USPAT; US-PGPUB; EPG; JPG; DERWENT; US-PGPUB; EPG; JPG; D					
Content or document)) and @ad<20000523 Content or document)) and @ad<20000523 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				IBM_TDB	
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	_	17	(analyz\$3 near3 statistics with (page or	USPAT;	2003/11/19 14:29
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT			content or document)) and @ad<20000523	US-PGPUB;	
- 58 analyz\$3 adj3 page\$1! same (statistics or accumulat\$3 or sum\$4) and @ad<20000523					
- 14 statistics with (key adj word\$1!) and statistics or accumulat\$3 or sum\$4) and @ad<20000523					
accumulat\$3 or sum\$4) and @ad<20000523 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					0000/11/10 11 71
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; ISP	- 	58			2003/11/19 14:54
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	[accumulatși or sumși) and @ad<20000523		
- 14 statistics with (key adj word\$1!) and USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US					
- 14 statistics with (key adj word\$1!) and USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; US-PGPUB; EFO; JPO; DERWENT;)]
@ad<20000523 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	_	14	statistics with (key adi word\$11) and		2003/11/19 14:54
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				•	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				•	
- 2 ("6480837").PN. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	2	("6480837").PN.	USPAT;	2003/11/28 14:11
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				1	
- 2 ("5933822").PN. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; US-PGPUB; EPO; US-PGPUB; US-PG					
- 2 ("5933822").PN. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2003/11/28 18:14 US-PGPUB; EPO; JPO; DERWENT;		_	(#5022000#\ PX		0000 /12 /00 27 21
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	2	("5933822").PN.	•	2003/11/28 15:24
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 2 ("5931907").PN. IBM_TDB USPAT; 2003/11/28 18:14 US-PGPUB; EPO; JPO; DERWENT;					
- 2 ("5931907").PN. USPĀT; 2003/11/28 18:14 US-PGPUB; EPO; JPO; DERWENT;				· ·	
US-PGPUB; EPO; JPO; DERWENT;	_	2	("5931907") PN		2003/11/28 18-14
EPO; JPO; DERWENT;			\ JJJJJV1 1.441.		2003,11,20 10.14
DERWENT;					
	<u> </u>				

-	0	pars\$3 adj (content or page\$1! or document)	USPAT;	2003/11/28 18:15
		with (predetermined adj (categories or	US-PGPUB;	
	ļ	category))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/11/00 10 15
-	0	pars\$3 adj3 (content or page\$1! or document)	USPAT;	2003/11/28 18:15
	1	with (predetermined adj (categories or	US-PGPUB;	
		category))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	pars\$3 near4 (content or page\$1! or	USPAT;	2003/11/28 18:15
		document) with (predetermined adj	US-PGPUB;	
		(categories or category))	EPO; JPO;	
			DERWENT; IBM TDB	
	0	(manada on transportably manada (content or	USPAT;	2003/11/28 18:16
-	"	(pars\$3 or travers\$3) near4 (content or page\$1! or document) with (predetermined adj	US-PGPUB;	2003/11/28 18:16
		(categories or category))	EPO; JPO;	
		(categories or category)	DERWENT;	i
			IBM TDB	
_	0	(pars\$3 or travers\$3) near4 (content or	USPAT;	2003/11/28 18:16
		page\$1! or document) with (predetermined	US-PGPUB;	,,
		adj4 (categories or category))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(pars\$3 or travers\$3) with (content or	USPAT;	2003/11/28 19:13
		page\$1! or document) with (predetermined	US-PGPUB;	
		adj4 (categories or category))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	264		USPAT;	2003/11/28 18:17
		page\$1! or document) with ((categories or	US-PGPUB;	
	i	category or class or classification))	EPO; JPO;	
			DERWENT;	
		40 40 40 40 40 40 40 40 40 40 40 40 40 4	IBM_TDB	0000/11/00 10 40
-	69	(pars\$3 or travers\$3) adj3(content or	USPAT;	2003/11/28 18:40
		page\$1! or document) with ((categories or	US-PGPUB;	
		category or class or classification))	EPO; JPO; DERWENT;	
			IBM TDB	
1_	22	((pars\$3 or travers\$3) adj3(content or	USPAT;	2003/11/28 18:17
-		page\$1! or document) with ((categories or	US-PGPUB;	2003, 22, 20 20.27
		category or class or classification))) and	EPO; JPO;	
		@ad<20000505	DERWENT;	
			IBM TDB	
-	21	(pars\$3 or travers\$3) adj3(content or	USPAT;	2003/11/28 18:40
		page\$1! or document) with (topic)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	
-	21	(pars\$3 or travers\$3) adj3 (content or	USPAT;	2003/11/28 18:43
		page\$1! or document) with (topic)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
i			IBM_TDB	2003/11/28 18:44
-	1152	predetermin\$3 adj3 (categories or category)	USPAT; US-PGPUB;	2003/11/28 18:44
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	645	predetermin\$3 adj (categories or category)	USPAT;	2003/11/28 18:48
	""	E	US-PGPUB;	, , == == : = =
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	160	(predetermin\$3 adj (categories or category))	USPAT;	2003/11/28 18:45
		and (web or html or WWW)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
I			IBM_TDB	

-	70	(predetermin\$3 adj (categories or category)) and (web or html or WWW) with (search\$3 or	USPAT; US-PGPUB; EPO; JPO;	2003/11/28 18:45
		retriev\$3)	DERWENT; IBM TDB	
-	24	((predetermin\$3 adj (categories or category)) and (web or html or WWW) with (search\$3 or retriev\$3)) and @ad<20000505	USPAT; US-PGPUB; EPO; JPO;	2003/11/28 18:45
			DERWENT; IBM_TDB USPAT;	2003/11/28 18:54
-	26	<pre>(search\$3 or pars\$3 or travers\$3) near5 (predetermin\$3 adj (categories or category))</pre>	US-PGPUB; EPO; JPO; DERWENT;	2003/11/20 10:34
-	14	((search\$3 or pars\$3 or travers\$3) near5 (predetermin\$3 adj (categories or category))) and @ad<20000505	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/28 19:06
-	0	(pars\$3 adj content) same ((predetermin\$3 or pre-determin\$3) adj (category or categories)) and @ad<20000505	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/28 19:12
-	O	(pars\$3 near3 content) same ((predetermin\$3 or pre-determin\$3) adj (category or categories)) and @ad<20000505	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/28 19:08
-	0	(pars\$3 near3 (content or page or document)) same ((predetermin\$3 or pre-determin\$3) adj (category or categories)) and @ad<20000505	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/28 19:09
-	0	(pars\$3 near3 (content or page or document)) same ((predetermin\$3 or pre-determin\$3) adj (category or categories or topic or subject)) and @ad<20000505	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/28 19:09
-	6	(pars\$3 near3 (content or page or document)) and ((predetermin\$3 or pre-determin\$3) adj (category or categories or topic or subject)) and @ad<20000505	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/28 19:09
-	33	<pre>(pars\$3 or travers\$3) adj (content or page\$1! or document) with ((categories or category or subject or topic or classification))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/28 19:13
-	1656113	"33" and @ad<20000505	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/28 19:14
-	13	((pars\$3 or travers\$3) adj (content or page\$1! or document) with ((categories or category or subject or topic or classification))) and @ad<20000505	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/28 19:14
-	2	20030149684.did.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/28 20:18
			IBM_TDB	